

DECORATIVE LIGHTING CATALOGUE



A & A Global Resources – Manufacturer
of Industrial, Commercial, and
Decorative Lighting since 2013



A & A GLOBAL RESOURCES PVT. LTD.

EMAIL: sales@ledindia.net agate@ledindia.net

CONTACT: +91 98231 41496 +91 93255 44784

327, SIDDHARTH TOWER, 12/3B, Kothrud, Pune, Maharashtra 411038

A&A Global Resources Pvt. Ltd.

Company Introduction

About Us

A&A Global Resources Pvt. Ltd. with the core competence in the field of electronics manufacturing & LED photometry technology has been actively engaged in the business of design & manufacturing of LED lights.

It has developed full range of LED light engines for variety of applications such as LED tube batten, Industrial high bay lamps, High mast lights, Street lights, Office lights, etc. and all are also compatible for Smart systems.

It designs & manufactures complete range of brand LED lighting products at its “State of the art” manufacturing & testing facility at Pune.

A&A sharply focuses on quality, luminous efficacy, reliability & technology. With complete in-house design & manufacturing facility, it proves to be the most competitive solution provider in field of LED lighting



CONTENTS

Outdoor lighting/ Cement wall lamp (P.1-11)



W0510 P.1



W0509 P.1



W0511 P.1



W0512 P.2



W0513 P.2



W0514 P.2



W0515 P.3



W0516 P.4



W0517 P.4



W0518 P.4



W0519 P.5



W0520 P.5



C2501 P.5



W0525 P.7



W0526 P.7



W0527 P.7



W0529 P.8



W0532 P.8



W0530 P.8



W0531 P.9



W0528 P.9



W0506 P.10



W0508 P.10



W0501 P.11

Outdoor lighting/ Cement Garden lamp (P.12-14)



O6001 P.12



O6002 P.12



O6003 P.12



O6004 P.12



O6006 P.13



O6007 P.13



O6026 P.15



O6027 P.15



O6028 P.16



O6012 P.17



O6013 P.17



O6014 P.17



O6015 P.18



O6016 P.18



O6017 P.18



O6018 P.19



O6019 P.19



O6020 P.19



O6021 P.19



O6022 P.20



O6023 P.20



O6024 P.21



O6025 P.21

Indoor lighting/ Terrazzo table lamp (P.22)



T8501A P.22



T8502A P.22



T8503B P.22



T8504B P.22



T8505B P.22



T8506B P.22

Indoor lighting/ Cement pendant (P.23-26)



P5512 P.23



P5513 P.23



P5515 P.23



P5523 P.24



P5524 P.24



P5525 P.24



P5516 P.25



P5520 P.25



P5522 P.25



P5526 P.26

Indoor lighting/ Cement wall lamp/Projection lamp (P.27)



W0701 P.27



W0702 P.27



O6901 P.27



O6902 P.27

Indoor lighting/ Gypsum downlight (P.28-48)



D0134 P.29



D0135 P.29



D0136 P.29



D0137 P.29



D0138 P.29



D0139 P.29



D0122 P.30



D0121 P.30



D0117 P.30



D0118 P.31



D0119 P.31



D0120 P.31




D0124 P.32



D0129 P.32



D0127 P.32



D0123 P.32



D0181 P.33



D0182 P.33




D0183 P.33



D0184 P.34



D0185 P.34



D0186 P.34



D0132 P.35



D0133 P.35



D0143 P.36



D0144 P.36



D0101 P.36



D0102 P.36



D0103A P.36



D0104A P.37



D0106 P.37



D0107 P.37



D0109 P.38



D0105 P.38



D0108 P.38



D0154 P.39



D0155 P.39



D0157 P.39




D0158 P.39



D0156 P.39



D0159 P.40



D0160 P.40



D0113 P.40



D0114 P.40



D0115 P.40



D0116 P.40



D0140 P.41



D0141 P.41



D0142 P.41



D0145 P.42



D0146 P.42



D0180 P.42



D0147 P.43



D0149 P.43



D0150 P.44



D0151 P.44



D0152 P.44




D0153 P.44



D0148 P.45



D0161 P.46



D0162 P.46



D0163 P.46



D0179 P.46



D0177 P.46



D0178 P.46



D0169 P.47



D0170 P.47



D0171 P.47



D0172 P.47



D0173 P.47



D0174 P.47



D0175 P.47



D0176 P.47



D0166 P.48



D0167 P.48



D0168 P.48

Indoor lighting/ Gypsum ceiling light (P.49-54)



C2001 P.49



C2002 P.49



C2022 P.50



C2023 P.50



C2024 P.50



C2016 P.51



C2017 P.51



C2018 P.51



C2019 P.51



C2020 P.52



C2021 P.52



C2008 P.53



C2010 P.53



C2011 P.53



C2009 P.53



C2025 P.53



C2013 P.54



C2014 P.54



C2015 P.54

Indoor lighting/ Linear light (P.55)



D0801 P.55

Indoor lighting/ Gypsum pendant (P.56)



P5001 P.56



P5002 P.56



P5003 P.56

Indoor lighting/ Gypsum wall lamp (P.57-74)



W0103 P.57



W0105 P.58



W0108 P.59



W0110 P.59



W0147 P.59




W0142 P.59



W0146 P.59



W0144 P.59



W0104 P.60



W0107 P.61



W0109 P.61



W0112 P.61



W0113 P.61




W0114 P.61



W0136 P.61




W0101 P.62




W0102 P.62



W0111 P.62



W0119 P.62



W0120 P.62



W0115 P.63



W0116 P.63



W0117 P.63



W0124 P.64



W0125 P.64



W0122 P.65



W0153 P.66



W0155 P.66



W0156 P.66



W0158 P.66



W0129 P.67



W0130 P.67



W0132 P.67



W0131 P.68



W0133 P.69



W0134 P.69



W0139 P.69



W0140 P.70



W0141 P.70



W0143 P.70



W0145 P.70



W0150 P.71



W0151 P.71



W0152 P.71



W0159 P.72



W0160 P.72



W0161 P.72



W0162 P.72





W0127 P.73




W0126 P.74

Cement wall lamp





IP54 CE RoHS

Model No.	Light	Power	Color Temp	Input Voltage	Ra	Material
AG-W0510	LED	5W	2700K/3000K/4000K	100-270V	≥80	Cement +Aluminium



IP54 CE RoHS



Model No.	Light	Power	Color Temp	Input Voltage	Ra	Material
AG-W0509	LED	5W	2700K/3000K/4000K	100-270V	≥80	Cement +Aluminium



IP54 CE RoHS


Model No.	Light	Power	Color Temp	Input Voltage	Ra	Material
AG-W0511	LED	2*5W	2700K/3000K/4000K	100-270V	≥80	Cement +Aluminium

Cement wall lamp




IP54 CE RoHS

Model No.	Light	Power	Color Temp	Input Voltage	Ra	Material
AG-W0512	LED	2*5W	2700K/3000K/4000K	100-270V	≥80	Cement +Aluminium



IP54 CE RoHS


Model No.	Light	Power	Color Temp	Input Voltage	Ra	Material
AG-W0513	LED	5W	2700K/3000K/4000K	100-270V	≥80	Cement +Aluminium



IP54 CE RoHS


Model No.	Light	Power	Color Temp	Input Voltage	Ra	Material
AG-W0514	LED	5W	2700K/3000K/4000K	100-270V	≥80	Cement +Aluminium

Cement wall lamp





IP54   **RoHS**  

Model No.	Light	Power	Color Temp	Input Voltage	Ra	Material
AG-W0515	LED	5W	2700K/3000K/4000K	100-270V	≥80	Cement +Aluminium





Cement wall lamp




IP54 CE RoHS

Model No.	Light	Power	Color Temp	Input Voltage	Ra	Material
AG-W0516	LED	2*5W	2700K/3000K/4000K	100-270V	≥80	Cement +Aluminium



IP54 CE RoHS


Model No.	Light	Power	Color Temp	Input Voltage	Ra	Material
AG-W0517	LED	5W	2700K/3000K/4000K	100-270V	≥80	Cement +Aluminium



IP54 CE RoHS



Model No.	Light	Power	Color Temp	Input Voltage	Ra	Material
AG-W0518	LED	10W	2700K/3000K/4000K	100-270V	≥80	Cement +Aluminium

Cement wall lamp




IP54 CE RoHS

Model No.	Light	Power	Color Temp	Input Voltage	Ra	Material
AG-W0519	LED	2*5W	2700K/3000K/4000K	100-270V	≥80	Cement +Aluminium



IP54 CE RoHS


Model No.	Light	Power	Color Temp	Input Voltage	Ra	Material
AG-W0520	LED	5W	2700K/3000K/4000K	100-270V	≥80	Cement +Aluminium





IP54 CE RoHS

Model No.	Light	Power	Color Temp	Input Voltage	Ra	Material
AG-C2501	LED	5W	2700K/3000K/4000K	100-270V	≥80	Cement +Aluminium

Cement wall lamp




Cement wall lamp





IP54 CE RoHS

Model No.	Light	Power	Color Temp	Input Voltage	Ra	Material
AG-W0525	LED	2*5W	2700K/3000K/4000K	100-270V	≥80	Cement +Aluminium



IP54 CE RoHS



Model No.	Light	Power	Color Temp	Input Voltage	Ra	Material
AG-W0526	LED	7W	2700K/3000K/4000K	100-270V	≥80	Terrazzo +Aluminium



IP54 CE RoHS



Model No.	Light	Power	Color Temp	Input Voltage	Ra	Material
AG-W0527	LED	7W	2700K/3000K/4000K	100-270V	≥80	Cement +Aluminium

Cement wall lamp





IP54 CE RoHS

Model No.	Light	Power	Color Temp	Input Voltage	Ra	Material
AG-W0529	LED	5W	2700K/3000K/4000K	100-270V	≥80	Cement +Aluminium



IP54 CE RoHS



Model No.	Light	Power	Color Temp	Input Voltage	Ra	Material
AG-W0532	LED	2*5W	2700K/3000K/4000K	100-270V	≥80	Cement +Aluminium



IP54 CE RoHS



Model No.	Light	Power	Color Temp	Input Voltage	Ra	Material
AG-W0530	LED	2*5W	2700K/3000K/4000K	100-270V	≥80	Cement +Aluminium

Cement wall lamp



IP54 CE RoHS

Model No.	Light	Power	Color Temp	Input Voltage	Ra	Material
AG-W0531	LED	2*5W	2700K/3000K/4000K	100-270V	≥80	Cement +Aluminium




IP54 CE RoHS


Model No.	Light	Power	Color Temp	Input Voltage	Ra	Material
AG-W0528	LED	5W	2700K/3000K/4000K	100-270V	≥80	Terrazzo +Aluminium



Cement wall lamp



AG-W0506




AG-W0508

IP54 CE RoHS

Model No.	Light Source	Power	Color Temp	Input Voltage	Ra	Body color	Material
AG-W0506	LED	2*7W	2700K/3000K/4000K	100-270V	≥80	Black/Gray	Cement +Aluminium
AG-W0508	LED	2*7W	2700K/3000K/4000K	100-270V	≥80	Black/Gray	Cement +Aluminium




Cement wall lamp




IP54 CE UL RoHS

Model No.	Light Source	Power	Color Temp	Input Voltage	Ra	Body color	Material
AG-W0504	LED	2*5W	2700K/3000K/4000K	100-270V	≥80	Black/Gray	Cement +Aluminium



Cement garden lamp




AG-O6001



AG-O6002

IP65 CE UL RoHS

Model No.	Light Source	Power	Color Temp	Input Voltage	Input Frequency	Ra	Body color	Material
AG-O6001	LED	7W	2700K/3000K/4000K	100-270V	50/60Hz	≥80	Black/Gray	Cement+ Stainless steel
AG-O6002	LED	7W	2700K/3000K/4000K	100-270V	50/60Hz	≥80	Black/Gray	Cement+ Stainless steel



AG-O6003




AG-O6004


IP65 CE UL RoHS

Model No.	Light Source	Power	Color Temp	Input Voltage	Input Frequency	Ra	Body color	Material
AG-O6003	LED	7W	2700K/3000K/4000K	100-270V	50/60Hz	≥80	Black/Gray	Cement+ Stainless steel
AG-O6004	LED	7W	2700K/3000K/4000K	100-270V	50/60Hz	≥80	Black/Gray	Cement+ Stainless steel

Cement garden lamp



AG-O6006



AG-O6007


IP65 CE RoHS

Model No.	Light Source	Power	Color Temp	Input Voltage	Input Frequency	Ra	Body color	Material
AG-O6006	LED	7W	2700K/3000K/4000K	100-270V	50/60Hz	≥80	Black/Gray	Cement+ Stainless steel
AG-O6007	LED	7W	2700K/3000K/4000K	100-270V	50/60Hz	≥80	Black/Gray	Cement+ Stainless steel






Cement garden lamp




IP65 CE RoHS

Model No.	Light	Power	Color Temp	Input Voltage	Ra	Material
AG-O6026	LED	10W	2700K/3000K/4000K	100-270V	≥80	Cement +Aluminium




IP65 CE RoHS

Model No.	Light Source	Power	Color Temp	Input Voltage	Ra	Material
AG-O6027	LED	10W	2700K/3000K/4000K	100-270V	≥80	Cement +Aluminium





IP65 CE RoHS

Model No.	Light Source	Power	Color Temp	Input Voltage	Ra	Material
AG-O6028	LED	10W	2700K/3000K/4000K	100-270V	≥80	Cement +Aluminium




Cement garden lamp





IP65 CE RoHS

Model No.	Light	Power	Color Temp	Input Voltage	Ra	Material
AG-O6012	LED	5W	2700K/3000K/4000K	100-270V	≥80	Cement +Aluminium



IP65 CE RoHS

Model No.	Light	Power	Color Temp	Input Voltage	Ra	Material
AG-O6013	LED	5W	2700K/3000K/4000K	100-270V	≥80	Cement +Aluminium



IP65 CE RoHS

Model No.	Light	Power	Color Temp	Input Voltage	Ra	Material
AG-O6014	LED	5W	2700K/3000K/4000K	100-270V	≥80	Cement +Aluminium

Cement garden lamp



IP65    


Model No.	Light	Power	Color Temp	Input Voltage	Ra	Material
AG-O6015	LED	5W	2700K/3000K/4000K	100-270V	≥80	Cement +Aluminium




AG-O6016



AG-O6017



600




IP65    

Model No.	Light Source	Power	Color Temp	Input Voltage	Ra	Material
AG-O6016	LED	5W	2700K/3000K/4000K	100-270V	≥80	Cement +Aluminium
AG-O6017	LED	5W	2700K/3000K/4000K	100-270V	≥80	Cement +Aluminium


Cement garden lamp



AG-O6018



AG-O6019



IP65 CE RoHS


Model No.	Light Source	Power	Color Temp	Input Voltage	Ra	Material
AG-O6018	LED	5W	2700K/3000K/4000K	100-270V	≥80	Cement +Aluminium
AG-O6019	LED	2*5W	2700K/3000K/4000K	100-270V	≥80	Cement +Aluminium



AG-O6020



AG-O6021



IP65 CE RoHS

Model No.	Light Source	Power	Color Temp	Input Voltage	Ra	Material
AG-O6020	LED	5W	2700K/3000K/4000K	100-270V	≥80	Cement +Aluminium
AG-O6021	LED	5W	2700K/3000K/4000K	100-270V	≥80	Cement +Aluminium

Cement garden lamp




AG-W0521

AG-O6022


AG-W0522

AG-O6023



IP65 CE RoHS

Model No.	Light Source	Power	Color Temp	Input Voltage	Ra	Material
AG-W0521	COB/GU10	7W	2700K/3000K/4000K	100-270V	≥80	Cement +Aluminium
AG-O6022		MAX 35W				
AG-W0522	COB/GU10	7W	2700K/3000K/4000K	100-270V	≥80	Cement +Aluminium
AG-O6023		MAX 35W				



Cement garden lamp



AG-W0523




AG-O6024



AG-W0524




AG-O6025




IP65 CE RoHS

Model No.	Light Source	Power	Color Temp	Input Voltage	Ra	Material
AG-W0523	COB/GU10	7W	2700K/3000K/4000K	100-270V	≥80	Cement +Aluminium
AG-O6024	COB/GU10	MAX 35W	2700K/3000K/4000K	100-270V	≥80	Cement +Aluminium
AG-W0524	COB/GU10	7W	2700K/3000K/4000K	100-270V	≥80	Cement +Aluminium
AG-O6025	COB/GU10	MAX 35W	2700K/3000K/4000K	100-270V	≥80	Cement +Aluminium





Terrazzo table lamp




IP20 CE U RoHS

Model No.	AG-T8501A
Light Source	E27
Power	MAX 40W
Input Voltage	100-270V
Material	Terrazzo +Aluminium




IP20 CE U RoHS

Model No.	AG-T8502A
Light Source	E27
Power	MAX 40W
Input Voltage	100-270V
Material	Terrazzo +Aluminium




IP20 CE U RoHS

Model No.	AG-T8503B
Light Source	E27
Power	MAX 40W
Input Voltage	100-270V
Material	Terrazzo +Aluminium




IP20 CE U RoHS

Model No.	AG-T8504B
Light Source	E27
Power	MAX 40W
Input Voltage	100-270V
Material	Terrazzo +Aluminium




IP20 CE U RoHS

Model No.	AG-T8505B
Light Source	E27
Power	MAX 40W
Input Voltage	100-270V
Material	Terrazzo +Aluminium




IP20 CE U RoHS

Model No.	AG-T8506B
Light Source	E27
Power	MAX 40W
Input Voltage	100-270V
Material	Terrazzo +Aluminium




Cement pendant




Model No.	AG-P5512
Light Source	E27
Power	MAX 40W
Input Voltage	100-270V
Material	Cement+Aluminium

IP20   **RoHS** 



Model No.	AG-P5513
Light Source	E27
Power	MAX 40W
Input Voltage	100-270V
Material	Cement+Aluminium


IP20   **RoHS** 



Model No.	AG-P5515
Light Source	E27
Power	MAX 40W
Input Voltage	100-270V
Material	Cement+Aluminium


IP20   **RoHS** 

Cement pendant




Model No.	AG-P5523
Light Source	E27
Power	MAX 40W
Input Voltage	100-270V
Material	Cement+Aluminium

IP20    



Model No.	AG-P5524
Light Source	E27
Power	MAX 40W
Input Voltage	100-270V
Material	Cement+Aluminium


IP20    



Model No.	AG-P5525
Light Source	E27
Power	MAX 40W
Input Voltage	100-270V
Material	Cement+Aluminium


IP20    

Cement pendant




Model No.	AG-P5516
Light Source	G9/ LED 7W
Power	MAX 40W
Input Voltage	100-270V
Material	Cement+Aluminium

IP20   **RoHS** 



Model No.	AG-P5520
Light Source	E27
Power	MAX 40W
Input Voltage	100-270V
Material	Cement+Wood+ Aluminium


IP20   **RoHS** 



Model No.	AG-P5522
Light Source	E27
Power	MAX 40W
Input Voltage	100-270V
Material	Cement+Wood+ Aluminium

IP20   **RoHS** 

Cement pendant




Model No.	AG-P5526
Light Source	GU10+LED 5W
Power	MAX 35W+5W
Input Voltage	100-270V
Material	Terrazzo+Aluminium


IP20   **RoHS** 



Cement wall lamp




AG-W0701




AG-W0702

IP20 CE RoHS

Model No.	Light Source	Power	Input Voltage	Material
AG-W0701	GU10	MAX 35W	100-270V	Cement+Wood+ Aluminium
AG-W0702	GU10	MAX 35W	100-270V	Cement+Wood+ Aluminium



AG-O6901





AG-O6902







IP20 CE RoHS

Model No.	Light Source	Power	Input Voltage	Material
AG-O6901	GU10	MAX 35W	100-270V	Cement+Wood+ Aluminium
AG-O6902	GU10	MAX 35W	100-270V	Cement+Wood+ Aluminium

Gypsum downlight




Gypsum downlight



Model No.	AG-D0134 AG-D0136 AG-D0138
Light Source	COB
Power	7W
Color Temp	2700K/3000K/4000K
Input Voltage	100-270V
Ra	≥80
Lm	≥650
Beam Angle	12°/24°/45°
Light cup color	Black/Gold/Silver/White
Material	Gypsum+ Aluminium


Model No.	AG-D0135 AG-D0137 AG-D0139
Light Source	COB
Power	2*7W
Color Temp	2700K/3000K/4000K
Input Voltage	100-270V
Ra	≥80
Lm	≥2*650
Beam Angle	12°/24°/45°
Light cup color	Black/Gold/Silver/White
Material	Gypsum+ Aluminium

Gypsum downlight




AG-D0122

- ⊙ **Input Voltage:** 100-270V
- ⊙ **Light Source:** GU10/MR16/COB
- ⊙ **Power:** MAX 35W/ 5W 10W 15W
- ⊙ **Beam Angle:** 15°/25°/38°/60°
- ⊙ **Material:** Gypsum+ Aluminium




U123*123

IP20 CE RoHS




AG-D0121

- ⊙ **Input Voltage:** 100-270V
- ⊙ **Light Source:** GU10/MR16/COB
- ⊙ **Power:** MAX 35W/ 5W 10W 15W
- ⊙ **Beam Angle:** 15°/25°/38°/60°
- ⊙ **Material:** Gypsum+ Aluminium




U153*153

IP20 CE RoHS



AG-D0117


- ⊙ **Input Voltage:** 100-270V
- ⊙ **Light Source:** GU10/MR16/COB
- ⊙ **Power:** MAX 35W/ 5W 10W 15W
- ⊙ **Beam Angle:** 15°/25°/38°/60°
- ⊙ **Material:** Gypsum+ Aluminium



U153*153


IP20 CE RoHS

Gypsum downlight




AG-D0118

- ⊙ **Input Voltage:** 100-270V
- ⊙ **Light Source:** GU10/MR16/COB
- ⊙ **Power:** MAX 35W/ 5W 10W 15W
- ⊙ **Beam Angle:** 15°/25°/38°/60°
- ⊙ **Material:** Gypsum+ Aluminium



183*183

IP20 CE RoHS



Model No.	Input Voltage	Light Source	Power	Beam Angle	Material
AG-D0119	100-270V	GU10/MR16/COB	MAX 2*35W/2*5W 10W 15W	15°/25°/38°/60°	Gypsum+ Aluminium
AG-D0120	100-270V	GU10/MR16/COB	MAX 2*35W/2*5W 10W 15W	15°/25°/38°/60°	Gypsum+ Aluminium

Gypsum downlight



AG-D0124
GU10/MR16






AG-D0129
GU10/MR16



133*133




263*133




Model No.	Input Voltage	Light Source	Power	Beam Angle	Material
AG-D0124	100-270V	GU10/MR16/COB	MAX 35W/2*5W 10W 15W	15°/25°/38°/60°	Gypsum+ Aluminium
AG-D0129	100-270V	GU10/MR16/COB	MAX 2*35W/2*5W 10W 15W	15°/25°/38°/60°	Gypsum+ Aluminium



AG-D0127  153




AG-D0123  123



Model No.	Input Voltage	Light Source	Power	Beam Angle	Material
AG-D0127	100-270V	GU10/MR16/COB	MAX 35W/5W 10W 15W	15°/25°/38°/60°	Gypsum+ Aluminium
AG-D0123	100-270V	GU10/MR16/COB	MAX 35W/5W 10W 15W	15°/25°/38°/60°	Gypsum+ Aluminium


Gypsum downlight



123*123

IP20 CE RoHS


Model No.	Light Source	Power	Color Temp	Input Voltage	Beam Angle	IP Rating	Material
AG-D0181	SMD	5W	2700K/3000K/4000K	100-270V	90°	IP20	Gypsum+ Aluminium



133*133

IP20 CE RoHS

Model No.	Light Source	Power	Color Temp	Input Voltage	Beam Angle	IP Rating	Material
AG-D0182	SMD	7W	2700K/3000K/4000K	100-270V	90°	IP20	Gypsum+ Aluminium




153*153

IP20 CE RoHS

Model No.	Light Source	Power	Color Temp	Input Voltage	Beam Angle	IP Rating	Material
AG-D0183	SMD	9W	2700K/3000K/4000K	100-270V	90°	IP20	Gypsum+ Aluminium


Gypsum downlight



183*183

IP20 CE RoHS


Model No.	Light Source	Power	Color Temp	Input Voltage	Beam Angle	IP Rating	Material
AG-D0184	SMD	12W	2700K/3000K/4000K	100-270V	90°	IP20	Gypsum+ Aluminium



223*223

IP20 CE RoHS

Model No.	Light Source	Power	Color Temp	Input Voltage	Beam Angle	IP Rating	Material
AG-D0185	SMD	18W	2700K/3000K/4000K	100-270V	90°	IP20	Gypsum+ Aluminium




248*248

IP20 CE RoHS

Model No.	Light Source	Power	Color Temp	Input Voltage	Beam Angle	IP Rating	Material
AG-D0186	SMD	24W	2700K/3000K/4000K	100-270V	90°	IP20	Gypsum+ Aluminium



Gypsum downlight



153*153

IP20 CE RoHS


Model No.	Input Voltage	Light Source	Power	Light cup color	Material
AG-D0132	100-270V	GU10/MR16	MAX 35W	Gold/Black	Gypsum+ Aluminium



153*153

IP20 CE RoHS

Model No.	Input Voltage	Light Source	Power	Light cup color	Material
AG-D0133	100-270V	GU10/MR16	MAX 35W	Gold/Black	Gypsum+ Aluminium



Gypsum downlight




AG-D0143




AG-D0144



123*123



123*123



IP20 CE RoHS

Model No.	Input Voltage	Light Source	Power	Light cup color	Beam Angle	Material
AG-D0143	100-270V	GU10/MR16	MAX 35W	Gold/Black	12°/24°/45°	Gypsum+ Aluminium
AG-D0144	100-270V	GU10/MR16	MAX 35W	Gold/Black	12°/24°/45°	Gypsum+ Aluminium




AG-D0101




AG-D0102




AG-D0103A



103*103



φ 103



123*123


IP20 CE RoHS

Model No.	Input Voltage	Light Source	Power	Material
AG-D0101	100-270V	GU10/MR16	MAX 35W	Gypsum+ Aluminium
AG-D0102	100-270V	GU10/MR16	MAX 35W	Gypsum+ Aluminium
AG-D0103A	100-270V	GU10/MR16	MAX 35W	Gypsum+ Aluminium

Gypsum downlight




AG-D0104A



123*123




AG-D0106



123*123



AG-D0107




φ 133

IP20 CE RoHS

Model No.	Input Voltage	Light Source	Power	Material
AG-D0104A	100-270V	GU10/MR16	MAX 35W	Gypsum+ Aluminium
AG-D0106	100-270V	GU10/MR16	MAX 35W	Gypsum+ Aluminium
AG-D0107	100-270V	GU10/MR16	MAX 35W	Gypsum+ Aluminium




Gypsum downlight




AG-D0109



AG-D0105




AG-D0108




IP20 CE RoHS

Model No.	Input Voltage	Light Source	Power	Material
AG-D0109	100-270V	GU10/MR16	MAX 35W	Gypsum+ Aluminium
AG-D0105	100-270V	GU10/MR16	MAX 35W	Gypsum+ Aluminium
AG-D0108	100-270V	2*GU10/2*MR16	MAX 2*35W	Gypsum+ Aluminium

Gypsum downlight



■ 218*218



■ 420*218

IP20 CE RoHS

Model No.	Input Voltage	Light Source	Power	Material
AG-D0154	100-270V	AR111	MAX 50W	Gypsum+ Aluminium
AG-D0155	100-270V	2*AR111	MAX 2*50W	Gypsum+ Aluminium




AG-D0157




AG-D0158




AG-D0156



■ 188*188



■ 403*187




■ 233*233


IP20 CE RoHS

Model No.	Input Voltage	Light Source	Power	Material
AG-D0157	100-270V	AR111	MAX 50W	Gypsum+ Aluminium
AG-D0158	100-270V	2*AR111	MAX 2*50W	Gypsum+ Aluminium
AG-D0156	100-270V	AR111	MAX 50W	Gypsum+ Aluminium


Gypsum downlight




AG-D0159





AG-D0160



68*68



68*68



IP20 CE U RoHS


Model No.	Light Source	Power	Color Temp	Input Voltage	Input Frequency	Output Current	Ra	Material
AG-D0159	CREE LED	1W	2700K/3000K/4000K	100-270V	50/60Hz	350mA	≥80	Gypsum+ Aluminium
AG-D0160	CREE LED	1W	2700K/3000K/4000K	100-270V	50/60Hz	350mA	≥80	Gypsum+ Aluminium



AG-D0113



AG-D0114



83*83

IP20 CE U RoHS


Model No.	Input Voltage	Light Source	Power	Material
AG-D0113 AG-D0114	100-270V	GU10/MR16	MAX 35W	100-270V



AG-D0115



AG-D0116





153*83


IP20 CE U RoHS

Model No.	Input Voltage	Light Source	Power	Material
AG-D0115 AG-D0116	100-270V	2*GU10/MR16	MAX 35W	100-270V

Gypsum downlight



123*123




189*123

IP20 CE UL RoHS

Model No.	AG-D0140
Light Source	COB
Power	5W
Color Temp	2700K/3000K/4000K
Input Voltage	100-270V
Ra	≥80
Lm	≥650
Beam Angle	12°/24°/45°
Light cup color	Black/Silver
Material	Gypsum+ Aluminium

Model No.	AG-D0141
Light Source	COB
Power	2*5W
Color Temp	2700K/3000K/4000K
Input Voltage	100-270V
Ra	≥80
Lm	≥2*650
Beam Angle	12°/24°/45°
Light cup color	Black/Silver
Material	Gypsum+ Aluminium



255*123

IP20 CE UL RoHS


Model No.	AG-D0142
Light Source	COB
Power	3*5W
Color Temp	3000K/4500K/6000K
Input Voltage	100-270V
Ra	≥80
Lm	≥3*650
Beam Angle	12°/24°/45°
Light cup color	Black/Silver
Material	Gypsum+ Aluminium

- ◎ Gypsum + high performance aluminum, environmental protection, beautiful.
- ◎ High quality LED chip and power supply, longer service life, more energy saving.
- ◎ No stroboscopic effect, eliminating eyes exhaustion caused by the conventional fluorescent light, effectively protecting user's eyesight.
- ◎ Mirror or matte in four colors, loading and unloading can be done from the front.


Gypsum downlight



Φ 90



90°90



White Gypsum



Grey Cement




Terra Zito

IP20 CE RoHS

Model No.	AG-D0145
Light Source	COB
Power	7W
Color Temp	2700K/3000K/4000K
Input Voltage	100-270V
Ra	≥80
Lm	≥650
Beam Angle	12°/24°/45°
Light cup color	Black/Silver
Material	Gypsum+ Aluminium



Model No.	AG-D0146
Light Source	COB
Power	7W
Color Temp	2700K/3000K/4000K
Input Voltage	100-270V
Ra	≥80
Lm	≥650
Beam Angle	12°/24°/45°
Light cup color	Black/Silver
Material	Gypsum+ Aluminium



233*233 IP20 CE RoHS

Model No.	Input Voltage	Light Source	Power	Material
AG-D0180	100-270V	GU10/MR16	MAX 35W	100-270V

Gypsum downlight




Model No.	AG-D0147
Light Source	COB/ GU10/MR16
Power	5W/ 10W/ MAX35W
Color Temp	2700K/3000K/4000K
Input Voltage	100-270V
Ra	≥80
Lm/W	≥100
Beam Angle	15°/25°/38°/60°
Light cup color	Black/Gold/Silver/White(Mirror/Matte)
Material	Gypsum+ Aluminium


Model No.	AG-D0149
Light Source	COB/ GU10/MR16
Power	5W/ 10W/ MAX35W
Color Temp	2700K/3000K/4000K
Input Voltage	100-270V
Ra	≥80
Lm/W	≥100
Beam Angle	15°/25°/38°/60°
Light cup color	Black/Gold/Silver/White(Mirror/Matte)
Material	Gypsum+ Aluminium




Gypsum downlight




Model No.	AG-D0150
Light Source	COB/ GU10/MR16
Power	5W/ 10W/ MAX35W
Color Temp	2700K/3000K/4000K
Input Voltage	100-270V
Ra	≥80
Lm/W	≥100
Beam Angle	15°/25°/38°/60°
Light cup color	Black/Gold/Silver/White(Mirror/Matte)
Material	Gypsum+ Aluminium



Model No.	AG-D0151
Light Source	COB/ GU10/MR16
Power	5W/ 10W/ MAX35W
Color Temp	2700K/3000K/4000K
Input Voltage	100-270V
Ra	≥80
Lm/W	≥100
Beam Angle	15°/25°/38°/60°
Light cup color	Black/Gold/Silver/White(Mirror/Matte)
Material	Gypsum+ Aluminium




Model No.	AG-D0152
Light Source	COB/ GU10/MR16
Power	2*5W/ 2*10W/ MAX 2*35W
Color Temp	2700K/3000K/4000K
Input Voltage	100-270V
Ra	≥80
Lm/W	≥100
Beam Angle	15°/25°/38°/60°
Light cup color	Black/Gold/Silver/White(Mirror/Matte)
Material	Gypsum+ Aluminium




Model No.	AG-D0153
Light Source	COB/ GU10/MR16
Power	2*5W/ 2*10W/ MAX 2*35W
Color Temp	2700K/3000K/4000K
Input Voltage	100-270V
Ra	≥80
Lm/W	≥100
Beam Angle	15°/25°/38°/60°
Light cup color	Black/Gold/Silver/White(Mirror/Matte)
Material	Gypsum+ Aluminium

Gypsum downlight




IP20 CE UL RoHS TÜV

Model No.	AG-D0148
Light Source	COB/ GU10/MR16
Power	5W/ 10W/ MAX35W
Color Temp	2700K/3000K/4000K
Input Voltage	100-270V
Ra	≥80
Lm/W	≥100
Beam Angle	15°/25°/38°/60°
Light cup color	Black/Gold/Silver/White(Mirror/Matte)
Material	Gypsum+ Aluminium




Gypsum downlight




AG-D0161




AG-D0162




AG-D0163



123*123



123*123



123*123

IP20 CE RoHS

Model No.	Light Source	Power	Color Temp	Input Voltage	Ra	Material
AG-D0161	CREE LED	1W	2700K/3000K/4000K	100-270V	≥80	Gypsum+ Aluminium
AG-D0162	CREE LED	1W	2700K/3000K/4000K	100-270V	≥80	Gypsum+ Aluminium
AG-D0163	CREE LED	1W	2700K/3000K/4000K	100-270V	≥80	Gypsum+ Aluminium




AG-D0179




AG-D0177




AG-D0178



128*103



128*103



198*128


IP20 CE RoHS

Model No.	Light Source	Power	Color Temp	Input Voltage	Ra	Material
AG-D0179	LED	8.5W	3000K/4500K/6000K	100-270V	≥80	Gypsum+Aluminium
AG-D0177	LED	2*8.5W	3000K/4500K/6000K	100-270V	≥80	Gypsum+Aluminium
AG-D0178	LED	2*8.5W	3000K/4500K/6000K	100-270V	≥80	Gypsum+Aluminium

Gypsum downlight




AG-D0169



128*103




AG-D0170



198*128




AG-D0171



128*103



AG-D0172




198*128

IP20 CE RoHS

Model No.	Light Source	Power	Color Temp	Input Voltage	Ra	Material
AG-D0169	LED	8.5W	2700K/3000K/4000K	100-270V	≥80	Gypsum+Aluminium
AG-D0170	LED	2*8.5W	2700K/3000K/4000K	100-270V	≥80	Gypsum+Aluminium
AG-D0171	LED	8.5W	2700K/3000K/4000K	100-270V	≥80	Gypsum+Aluminium
AG-D0172	LED	2*8.5W	2700K/3000K/4000K	100-270V	≥80	Gypsum+Aluminium




AG-D0173



128*103




AG-D0174



198*128




AG-D0175



128*103



AG-D0176



198*128

IP20 CE RoHS

Model No.	Light Source	Power	Color Temp	Input Voltage	Ra	Material
AG-D0173	LED	8.5W	2700K/3000K/4000K	100-270V	≥80	Gypsum+ Aluminium
AG-D0174	LED	2*8.5W	2700K/3000K/4000K	100-270V	≥80	Gypsum+ Aluminium
AG-D0175	LED	8.5W	2700K/3000K/4000K	100-270V	≥80	Gypsum+ Aluminium
AG-D0176	LED	2*8.5W	2700K/3000K/4000K	100-270V	≥80	Gypsum+ Aluminium

Gypsum ceiling lamp



Model No.	Light Source	Power	Color Temp	Input Voltage	Ra	IP Rating	Material
AG-D0166	SMD	9W	2700K/3000K/4000K	100-270V	≥80	IP20	Gypsum+ Aluminium



Model No.	Light Source	Power	Color Temp	Input Voltage	Ra	IP Rating	Material
AG-D0167	SMD	12W	2700K/3000K/4000K	100-270V	≥80	IP20	Gypsum+ Aluminium



Model No.	Light Source	Power	Color Temp	Input Voltage	Ra	IP Rating	Material
AG-D0168	SMD	18W	2700K/3000K/4000K	100-270V	≥80	IP20	Gypsum+ Aluminium



Gypsum ceiling lamp



AG-C2001



AG-C2002



White Gypsum



Grey Cement




TerrazzoA


IP20

Model No.	AG-C2001
Light Source	LED
Power	5W
Color Temp	2700K/3000K/4000K
Input Voltage	100-270V
Ra	≥80
Lm/W	≥100
Beam Angle	12°/24°/45°
Light cup color	Black
Material	Gypsum+ Aluminium



Model No.	AG-C2002
Light Source	LED
Power	10W
Color Temp	2700K/3000K/4000K
Input Voltage	100-270V
Ra	≥80
Lm/W	≥100
Beam Angle	12°/24°/45°
Light cup color	Black
Material	Gypsum+ Aluminium



Gypsum ceiling lamp





AG-C2022



AG-C2023

IP20

Model No.	Light Source	Power	Color Temp	Input Voltage	Ra	Material
AG-C2022	LED	5W	2700K/3000K/4000K	100-270V	≥80	Gypsum+Aluminium
AG-C2023	LED	15W	2700K/3000K/4000K	100-270V	≥80	Gypsum+Aluminium



IP20

Model No.	Light Source	Power	Color Temp	Input Voltage	Ra	Material
AG-C2024	LED	22W	2700K/3000K/4000K	100-270V	≥80	Gypsum+Aluminium




Gypsum ceiling lamp



AG-C2016



AG-C2017



IP20 CE RoHS




Model No.	Input Voltage	Light Source	Power	Beam Angle	Material
AG-C2016	100-270V	GU10/MR16/COB	MAX 35W/5W 10W 15W	15°/25°/38°/60°	Gypsum+ Aluminium
AG-C2017	100-270V	GU10/MR16/COB	MAX 2*35W/2*5W 10W 15W	15°/25°/38°/60°	Gypsum+ Aluminium



AG-C2018




AG-C2019




IP20 CE RoHS

Model No.	Input Voltage	Light Source	Power	Beam Angle	Material
AG-D0218	100-270V	2*GU10/MR16/COB	MAX 2*35W/2*5W 10W 15W	15°/25°/38°/60°	Gypsum+ Aluminium
AG-D0219	100-270V	2*GU10/MR16/COB	MAX 2*35W/2*5W 10W 15W	15°/25°/38°/60°	Gypsum+ Aluminium

Gypsum ceiling lamp



AG-C2020



AG-C2021



White Gypsum



Grey Cement




TerrazzoA

IP20    

Model No.	Input Voltage	Light Source	Power	Material
AG-C2020 AG-C2021	100-270V	GU10	MAX 35W	100-270V



Gypsum ceiling lamp




Model No.	Light Source	Power	Color Temp	Input Voltage	Input Frequency	Ra	Material
AG-C2008	SMD	6W	2700K/3000K/4000K	100-270V	50/60Hz	≥80	Gypsum+ Aluminium
AG-C2010	SMD	6W	2700K/3000K/4000K	100-270V	50/60Hz	≥80	Gypsum+ Aluminium
AG-C2011	SMD	9W	2700K/3000K/4000K	100-270V	50/60Hz	≥80	Gypsum+ Aluminium




Model No.	Light Source	Power	Color Temp	Input Voltage	Input Frequency	Ra	Material
AG-C2009	SMD	25W	2700K/3000K/4000K	100-270V	50/60Hz	≥80	Gypsum+Aluminium
AG-C2025	3*E27	MAX 35W	/	100-270V	/	/	Cement+Wood+ Aluminium


Gypsum ceiling lamp



AG-C2013



AG-C2014



AG-C2015



White Gypsum



Grey Cement



TerrazzoA



IP20




RoHS







Model No.	Light Source	Power	Color Temp	Input Voltage	Beam Angle	Input Frequency	Ra	Material
AG-C2013	LED	7W	2700K/3000K/4000K	100-270V	12°/24°/45°	50/60Hz	≥80	Gypsum+ Aluminium
AG-C2014	LED	7W	2700K/3000K/4000K	100-270V	12°/24°/45°	50/60Hz	≥80	Gypsum+ Aluminium
AG-C2015	LED	7W	2700K/3000K/4000K	100-270V	12°/24°/45°	50/60Hz	≥80	Gypsum+ Aluminium

Linear light




RoHS




Model No.	Light Source	Material
AG-D0801	LED Strip	Gypsum+Aluminium

Gypsum pendant



IP20 CE RoHS

Model No.	AG-P5001 AG-P5002 AG-P5003
Light Source	COB
Power	7W
Color Temp	2700K/3000K/4000K
Input Voltage	100-270V
Ra	≥80
Lm/W	≥100
Beam Angle	12°/24°/45°
Lamp cup color	Gold/Silver
Material	Gypsum +Aluminium
Lifetime	50000H



White Gypsum




Grey Cement



TerrazzoA

Gypsum wall lamp





IP20 CE RoHS

Model No.	Light Source	Power	Input Voltage
AG-W0103	2*G9	MAX 2*40W	100-270V
	R7S	MAX 100W	100-270V




Gypsum wall lamp



IP20   **RoHS**  

Model No.	Light Source	Power	Color Temp	Input Voltage	Input Frequency	Ra	Material
AG-W0105	CREE COB/ G9	5W/ MAX 40W	2700K/3000K/4000K	100-270V	50/60Hz	≥80	Gypsum+Aluminium




Gypsum wall lamp





IP20 CE RoHS

Model No.	AG-W0108
Light Source	2*G9/R7S
Power	MAX 40W/MAX 100W
Input Voltage	100-270V
Material	Gypsum +Aluminium




IP20 CE RoHS

Model No.	AG-W0110
Light Source	2*G9/R7S
Power	MAX 40W/MAX 100W
Input Voltage	100-270V
Material	Gypsum +Aluminium




IP20 CE RoHS

Model No.	AG-W0147
Light Source	2*G9/R7S
Power	MAX 40W/MAX 100W
Color Temp	2700K/3000K/4000K
Input Voltage	100-270V
Material	Gypsum +Aluminium




IP20 CE RoHS

Model No.	AG-W0142
Light Source	2*G9/R7S
Power	MAX 40W/MAX 100W
Input Voltage	100-270V
Material	Gypsum +Aluminium




IP20 CE RoHS

Model No.	AG-W0146
Light Source	G9
Power	MAX 40W
Input Voltage	100-270V
Material	Gypsum +Aluminium





IP20 CE RoHS

Model No.	AG-W0144
Light Source	G9
Power	MAX 40W
Input Voltage	100-270V
Material	Gypsum +Aluminium



Gypsum wall lamp




IP20 CE UL RoHS


Model No.	Light Source	Power	Color Temp	Input Voltage	Input Frequency	Ra	Material
AG-W0104	CREE COB/ G9	5W/ MAX 40W	2700K/3000K/4000K	100-270V	50/60Hz	≥80	Gypsum+Aluminium




Gypsum wall lamp



AG-W0107




AG-W0109




AG-W0112

IP20 CE RoHS


Model No.	Light Source	Power	Input Voltage	Material
AG-W0107	2*G9	MAX 2*40W	100-270V	Gypsum+Aluminium
AG-W0109	R7S/2*G9	MAX 100W/2*40W	100-270V	Gypsum+Aluminium
AG-W0112	2*G9/R7S	MAX 2*40W /MAX 100W	100-270V	Gypsum+Aluminium



AG-W0113



AG-W0114





AG-W0136



IP20 CE RoHS

Model No.	Light Source	Power	Input Voltage	Material
AG-W0113	G9/E27	MAX 40W	100-270V	Gypsum+Aluminium
AG-W0114	G9/E27	MAX 40W	100-270V	Gypsum+Aluminium
AG-W0136	G9	MAX 40W	100-270V	Gypsum+Aluminium


Gypsum wall lamp



AG-W0101





AG-W0102




AG-W0111

IP20 CE UL RoHS

Model No.	Light Source	Power	Color Temp	Input Voltage	Input Frequency	Output Current	Ra	Material
AG-W0101	CREE COB	5W	2700K/3000K/4000K	100-270V	50/60Hz	300mA	≥80	Gypsum+ Aluminium
	G9	MAX 40W	/	100-270V	/	/	/	Gypsum+ Aluminium
AG-W0102	LED	2*5W	2700K/3000K/4000K	100-270V	50/60Hz	350mA	≥80	Gypsum+ Aluminium
AG-W0111	CREE	2*3W	2700K/3000K/4000K	100-270V	50/60Hz	700mA	≥80	Gypsum+ Aluminium
	2*G9	MAX 2*40W	/	100-270V	/	/	/	Gypsum+ Aluminium



AG-W0120



AG-W0119


IP20 CE UL RoHS

Model No.	Light Source	Power	Color Temp	Input Voltage	Input Frequency	Ra	Material
AG-W0119	LED	9W	2700K/3000K/4000K	100-270V	50/60Hz	≥80	Gypsum+Aluminium
AG-W0120	LED	5.5W	2700K/3000K/4000K	100-270V	50/60Hz	≥80	Gypsum+Aluminium


Gypsum wall lamp




IP20 CE RoHS



AG-W0115



AG-W0116




AG-W0117

Model No.	Light Source	Power	Input Voltage	Material
AG-W0115	G9/E14	MAX 40W	100-270V	Gypsum+Aluminium
AG-W0116	2*G9/2*E14	MAX 2*40W	100-270V	Gypsum+Aluminium
AG-W0117	3*G9/3*E14	MAX 3*40W	100-270V	Gypsum+Aluminium




Gypsum wall lamp



123*268

IP20 CE UL RoHS

Model No.	AG-W0124
Light Source	GU10/ MR16
Power	Max 35W
Input Voltage	100-270V
Material	Gypsum +Aluminium




163*183

IP20 CE UL RoHS

Model No.	AG-W0125
Light Source	CREE LED
Power	1.5W
Color Temp	2700K/3000K/4000K
Input Voltage	100-270V
Input Frequency	50/60Hz
Output current	350mA
Ra	≥80
Lm/W	≥100
Material	Gypsum +Aluminium
Lifetime	50000H


Gypsum wall lamp





93*173

Model No.	AG-W0122
Light Source	CREE LED
Power	1.5W
Color Temp	2700K/3000K/4000K
Input Voltage	100-270V
Input Frequency	50/60Hz
Output Current	350mA
Ra	≥80
Lm/W	≥100
Material	Gypsum +Aluminium
Lifetime	50000H



IP20 CE UL RoHS



Gypsum wall lamp



Model No.	Light Source	Power	Input Voltage	Material
AG-W0153	GU10/ MR16	MAX 50W/MAX 35W	100-270V	Gypsum+Aluminium



Model No.	Light Source	Power	Color Temp	Input Voltage	Ra	Material
AG-W0155	LED	1.5W	2700K/3000K/4000K	100-270V	≥80	Gypsum+Aluminium



AG-W0156




AG-W0158

IP20


Model No.	Size(CM)	Light Source	Power	Input Voltage	Material
AG-W0156	19.5*15.5*7.5	2*G9	MAX 2*40W	100-270V	Gypsum+Aluminium
AG-W0158	19*15*6	2*G9	MAX 2*40W	100-270V	Gypsum+Aluminium

Gypsum wall lamp




Model No.	AG-W0129
Light Source	G9
Power	MAX 40W
Input Voltage	100-270V
Material	Gypsum +Aluminium

IP20   **RoHS** 



Model No.	AG-W0130
Light Source	G9/E14
Power	MAX 40W
Input Voltage	100-270V
Material	Gypsum +Aluminium


IP20   **RoHS** 



Model No.	AG-W0132
Light Source	G9
Power	MAX 40W
Input Voltage	100-270V
Material	Gypsum +Aluminium

IP20   **RoHS** 

Gypsum wall lamp




IP20   **RoHS** 

Model No.	Light Source	Power	Input Voltage	Material
AG-W0131	E14	MAX 40W	100-270V	Gypsum+Aluminium




Gypsum wall lamp




Model No.	AG-W0133
Light Source	G9
Power	MAX 40W
Input Voltage	100-270V
Material	Gypsum +Aluminium

IP20   **RoHS** 



Model No.	AG-W0134
Light Source	G9
Power	MAX 40W
Input Voltage	100-270V
Material	Gypsum +Aluminium

IP20   **RoHS** 




Model No.	AG-W0139
Light Source	G9
Power	MAX 40W
Input Voltage	100-270V
Material	Gypsum +Aluminium

IP20   **RoHS** 

Gypsum wall lamp




Model No.	AG-W0140 AG-W0141
Light Source	E14/G9
Power	MAX 40W
Input Voltage	100-270V
Material	Gypsum +Aluminium




AG-W0141

IP20 CE RoHS



Model No.	AG-W0143
Light Source	E14
Power	MAX 40W
Input Voltage	100-270V
Material	Gypsum +Aluminium



IP20 CE RoHS



Model No.	AG-W0145
Light Source	2*G9/E14
Power	MAX 40W
Input Voltage	100-270V
Material	Gypsum +Aluminium

IP20 CE RoHS


Gypsum wall lamp



353*303

IP20 CE RoHS



Model No.	Light Source	Power	Input Voltage	Material
AG-W0150	E14/E27	MAX 40W	100-270V	Gypsum+Aluminium



253*313

IP20 CE RoHS

Model No.	Light Source	Power	Input Voltage	Material
AG-W0151	E14/E27	MAX 40W	100-270V	Gypsum+Aluminium




353*303


IP20 CE RoHS

Model No.	Light Source	Power	Input Voltage	Material
AG-W0152	2*GU10	MAX 40W	100-270V	Gypsum+Aluminium

Gypsum wall lamp



AG-W0159



AG-W0160

IP20    

Model No.	Light Source	Power	Color Temp	Input Voltage	Ra	Material
AG-W0159	LED	5W	2700K/3000K/4000K	100-270V	≥80	Gypsum+Aluminium
AG-W0160	LED	2*5W	2700K/3000K/4000K	100-270V	≥80	Gypsum+Aluminium



AG-W0161




AG-W0162


IP20    

Model No.	Light Source	Power	Color Temp	Input Voltage	Ra	Material
AG-W0161	LED	15W	2700K/3000K/4000K	100-270V	≥80	Gypsum+Aluminium
AG-W0162	LED	30W	2700K/3000K/4000K	100-270V	≥80	Gypsum+Aluminium

Gypsum wall lamp



AG-W0126 Gypsum




AG-W0704E /Terrazzo



AG-W0704A /Terrazzo




AG-W0704C /Terrazzo




IP20 CE UL RoHS

Model No.	Light Source	Power	Color Temp	Input Voltage	Input Frequency	Output Current	Ra	Material
AG-W0126 AG-W0704E AG-W0704A AG-W0704C	CREE LED	2*2W	2700K/3000K/4000K	100-270V	50/60Hz	700mA	≥80	Gypsum/Terrazzo +Aluminium




Gypsum wall lamp



AG-W0127 Gypsum




AG-W0703E /Terrazzo



AG-W0703A /Terrazzo



AG-W0703C /Terrazzo



IP20     

Model No.	Light Source	Power	Color Temp	Input Voltage	Input Frequency	Output Current	Ra	Material
AG-W0127 AG-W0703E AG-W0703A AG-W0703C	CREE LED	2*2W	2700K/3000K/4000K	100-270V	50/60Hz	700mA	≥80	Gypsum/Terrazzo +Aluminium





Manufactured by-

A&A GLOBAL RESOURCES PVT. LTD.

Registered office address:

327, Siddharth tower,

12/3B, KothrudPune - 411038,

Maharashtra (India)

Tel : +91-9325544783

E-mail : agate@ledindia.net

www.ledindia.net